

महोत्तरी, नेपाल

क्याटलग/ब्रोसर सपिंग विधिबाट सवारी साधनहरु खरिद सम्बन्धि सिलबन्दी प्रस्ताव आहवानको  
सुचना

प्रथम पटक प्रकाशित मिति : २०७७/०३/०६

यस कार्यालयको आ.ब.२०७६/०७७ को स्विकृत वार्षिक कार्यक्रम अनुसार देहाय बमोजिमको सवारी साधन सार्वजनिक खरिद ऐन, (२०६३ पहिलो संसोधन २०७३ को दफा ८ को उपदफा १(क) (८) तथा सार्वजनिक खरिद नियमावली २०६४ (चौथो संसोधन) को नियम ३१(ख) बमोजिम त्यस्तो सवारी साधन उत्पादक कम्पनी वा सो को नेपालका लागि आधिकारिक विक्रेताहरु बिच मात्र प्रतिस्पर्धा गराउने (क्याटलग सपिंग विधिबाट खरिद गर्नुपर्ने भएकोले सार्वजनिक खरिद नियमावली २०६४ को नियम ३१(ख) को उपनियम २ अनुसार देहाय बमोजिम सवारी साधनको उत्पादनको आधिकारिक स्पेशिफिकेशन, गुणस्तर र कम्पनीको आधिकारिक मूल्य खुल्ने कागजात क्याटलोग (ब्रोसर) संलग्न राखी तर्फसिलमा उल्लेख भए बमोजिमको प्रस्ताव दर्ता गराउन हुन् सम्बन्धित उत्पादक वा आधिकारिक विक्रेताको जानकारीको लागि यो सुचना प्रकाशित गरिएको छ ।

१. यस कार्यालयबाट स्वीकृत सवारी साधनको विस्तृत प्राविधिक स्पेशिफिकेशन यस कार्यालयबाट निशुल्क प्राप्त गर्न सकिने छ ।
२. उक्त कागजात लिनका लागि इच्छुक सवारी साधन उत्पादक कम्पनी वा सो को नेपालका लागि आधिकारिक विक्रेताले उक्त सवारी साधन विक्री वितरण गर्न नेपाल सरकारको सम्बन्धीत निकायबाट प्राप्त भएको अनुमतिपत्र, सो को अद्यावधिक नविकरण भएको पत्र, स्थाई लेखा नम्बर तथा मु.अ.कर दर्ता प्रमाणपत्र आ.ब.०७५/०७६ सम्मको कर चुक्ता गरेको प्रमाणित कागजात, उक्त सवारी साधन सप्लाइ गरेको हालसम्मको विस्तृत विवरण सम्बन्धीत कार्य अनुभवको प्रमाणपत्र सहितका कागजात सहित यो सुचना प्रकाशित भएको मितिले ८ औं दिन १२.०० बजेसम्म यस कार्यालयमा उपस्थित हुनु पर्नेछ ।
३. यो सुचना प्रकाशित भएको मितिले ८ औं दिन १२.०० बजे सम्म यस कार्यालयमा सिलबन्दी प्रस्ताव दर्ता गराउन सकिनेछ, तथा दर्ता गरिएका सिलबन्दी प्रस्तावहरु सोही दिन १४.०० बजे खोलिनेछ ।
४. साथै सुचिकृत नभएका उत्पादक वा आधिकारिक विक्रेता कम्पनीहरुले स्वीकृत गराई उक्त सिलबन्दी प्रस्ताव पेश गर्न सकिने व्योहोरा समेत जानकारी गराइन्छ ।
५. पेश गर्ने अन्तिम दिन सार्वजनिक विदा परेमा विदा पछिको कार्यालय खुलेको दिन पेश गर्न सकिनेछ ।
६. सिलबन्दी प्रस्ताव स्वीकृत वा स्थगित अन्य सबै कुराहरुको अधिकार कार्यालयमा निहित रहने छ ।


सि.नं.	सवारी साधनको नाम	संक्षिप्त विवरण	कैफियत
१	एम्बुलेन्स-१ थान	Hard Top, 4WD, Right Hand Driver, 2 Side doors and 1 back door Diesel Engine, developing maximum rated power output not less than 60 BHP & maximum torque not less than 180 Nm at governed RPM, Engine Displacement not less than 2500 CC, Minimum 1 year warranty after acceptance.	संक्षिप्त विवरणमा उल्लेख नभएका कुराहरु स्वीकृत Technical Specification बमोजिम हुनेछ ।
२	शव वाहन-१ थान	Hard Top, 4WD, power output not less than 60 BHP & maximum torque not less than 180 Nm at governed RPM, Engine Displacement not less than 2500 CC, Minimum 1 year warranty after acceptance.	


डा.राजिव कुमार भा  
मेडिकल सुपरिटेन्डेन्ट  
Medical



## Technical Specification

S. No.	Criteria	Required Specification	1.Unit Offered Specification
1.	General	Hard Top 4WD, Right Hand Drive model suitable for driving in Nepal. <b>Gross vehicle weight of the vehicle shall not be less than 2450 kgs</b> and shall have seating capacity for at least <b>driver, passenger and patient.</b>	<b>Make:</b> <b>Model:</b> <b>MFG.Year:</b> <b>Country of. Origin:</b> <b>GVW:</b> <b>Seating Capacity:</b>
2.	Engine	Diesel Engine, developing maximum rated <b>power output not less than 60 BHP &amp; maximum torque not less than 180 Nm at governed RPM</b> , Engine <b>Displacement not less than 2500 CC</b> , Engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions.	<b>Make:</b> <b>Model:</b> <b>Displacement:</b> <b>Power Output:</b> <b>Torque:</b> <b>No. of Cylinder:</b>
3.	Wheel Base	<b>Not more than 2900mm</b>	
4.	Overall Length	<b>Minimum 4400mm</b>	
5.	Emission Standard	The Emission standard of the vehicle should comply with the latest "Vehicle Mass Emission Standard" of Nepal which is to be certified by Department of Transport Management Nepal.	
6.	Gauges	To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance.	
7.	Clutch	Single Dry Plate	
8.	Transmission	Manual shift at 5 forward and one reverse, floor mounted engaged through control at driver seat.	
9.	Ground Clearance	<b>Minimum 180 mm</b>	
10.	Suspension	Leaf Springs/ coil springs/ torsion bar/ shock absorbers at front and rear.	
11.	Tyres	Standard Size	
12.	Steering	<b>Power Steering</b>	
13.	Brakes	Front Ventilated Disc type, rear disc/ drum type, hydraulic operated on all wheels, and parking brake dual circuit preferred.	
14.	Cab	<b>2 side doors and 1 back door</b> , all metallic cab with insulated roof, laminated glass windscreen, front washer and wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and co-passenger. Sun visor, rear view mirror and two side view mirror.	
15.	Chassis & Frame	Heavy duty metal frame	

  
 मेकानिकल इन्जिनियर



16.	Essential Accessories	<b>A. Head light, tail and rear light, reversing light and turn signals.</b> <b>B. Cabin Lights</b> <b>C. Speedometer/ Odometer.</b> <b>D. One Spare wheel with tyre and tube.</b> <b>E. Suitable jack and handle.</b> <b>F. Seat belt for driver and co-driver.</b> <b>G. A/C System</b> <b>H. Stretcher</b> <b>I. Siren</b> <b>J. Flashing Light on top (As per Nepal Standard)</b> <b>K. Oxygen Cylinder holder</b> <b>L. Saline Bottle holder</b> <b>M. Anti- Skid floor Equipped with all accessories offered in the standard model but not limited to the above items.</b>
17.	Instructions	All signs and instructions in the vehicle shall be in English.
18.	Manuals	One Copy of the Operator's and Owner's instructions and maintenance manual in English shall be supplied with the vehicle.
16.	Tools	A set of tools as required for general maintenance shall be supplied.
20.	Colour	White.
21.	Proven Performance	The vehicle offered shall be under standard production by the manufacturer for at least five years.
22.	Warranty	Manufacturer shall provide a <b>minimum of One year or 20000 kms which ever earlier after acceptance.</b>
23.	Delivery	<b>The 1 Unit 4WD,Hard top Ambulance shall be delivered to: जलेश्वर अस्पताल, महोत्तरी, प्रदेश नं.२ नेपाल  </b>

**Note:-**

The major items are indicated by bold and highlighted letters / alphabets / figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offered.

Bidder's Signature.....


Date.....

**Prepared by:-**


Name: Jitendra Kr.Singh

Designation: Mechanical Engineer

Office: DOR, HED,Janakpurdham.

Signature:  Date:2077 -02-28.

मेकानिकल इन्जिनियर



Medical Superintendent


## Technical Specification

### SAB BAHAN

### 1.Unit

S. No.	Criteria	Required Specification	Offered Specification
1.	General	Hard Top 4WD, Right Hand Drive model suitable for driving in Nepal. <b>Gross vehicle weight of the vehicle shall not be less than 2450 kgs</b> and shall have seating capacity for at least <b>driver, passenger and Stretcher</b> .	<b>Make:</b> <b>Model:</b> <b>MFG.Year:</b> <b>Country of. Origin:</b> <b>GVW:</b> <b>Seating Capacity:</b>
2.	Engine	Diesel Engine, developing maximum rated <b>power output not less than 60 BHP &amp; maximum torque not less than 180 Nm at governed RPM</b> , Engine <b>Displacement not less than 2500 CC</b> , Engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions.	<b>Make:</b> <b>Model:</b> <b>Displacement:</b> <b>Power Output:</b> <b>Torque:</b> <b>No. of Cylinder:</b>
3.	Wheel Base	<b>Not more than 2900mm</b>	
4.	Overall Length	<b>Minimum 4400mm</b>	
5.	Emission Standard	The Emission standard of the vehicle should comply with the latest "Vehicle Mass Emission Standard" of Nepal which is to be certified by Department of Transport Management Nepal.	
6.	Gauges	To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance.	
7.	Clutch	Single Dry Plate	
8.	Transmission	Manual shift at 5 forward and one reverse, floor mounted engaged through control at driver seat.	
9.	Ground Clearance	<b>Minimum 180 mm</b>	
10.	Suspension	Leaf Springs/ coil springs/ torsion bar/ shock absorbers at front and rear.	
11.	Tyres	Standard Size	
12.	Steering	<b>Power Steering</b>	
13.	Brakes	Front Ventilated Disc type, rear disc/ drum type, hydraulic operated on all wheels, and parking brake dual circuit preferred.	
14.	Cab	<b>2 side doors and 1 back door</b> , all metallic cab with insulated roof, laminated glass windscreen, front washer and wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and co-passenger. Sun visor, rear view mirror and two side view mirror.	
15.	Chassis & Frame	Heavy duty metal frame	

मेकानिकल इन्जिनियर



16.	Essential Accessories	A. Head light, tail and rear light, reversing light and turn signals. B. Cabin Lights C. Speedometer/ Odometer. D. One Spare wheel with tyre and tube. E. Suitable jack and handle. F. Seat belt for driver and co-driver. G. Stretcher etc.
17.	Instructions	All signs and instructions in the vehicle shall be in English.
18.	Manuals	One Copy of the Operator's and Owner's instructions and maintenance manual in English shall be supplied with the vehicle.
16.	Tools	A set of tools as required for general maintenance shall be supplied.
20.	Colour	White.
21.	Proven Performance	The vehicle offered shall be under standard production by the manufacturer for at least five years.
22.	Warranty	Manufacturer shall provide a <b>minimum of One year or 20000 kms which ever earlier after acceptance.</b>
23.	Delivery	<b>The 1 Unit 4WD,Hard top SAB BAHAN shall be delivered to: जलेश्वर अस्पताल, महोत्तरी, प्रदेश नं.२ नेपाल ।</b>

**Note:-**

The major items are indicated by bold and highlighted letters / alphabets / figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offered.

Bidder's Signature.....

Date.....

**Prepared by:-**

Name: Jitendra Kr.Singh

Designation: Mechanical Engineer


Office: DOR, HED, Janakpurdham.

Signature:

*Jitendra*

Date:2077 -02-28.

मेकानिकल इन्जिनियर



*Jitendra*  
Mechanical  
Superintendent  
म.स.